

/c "<Command>"

Runs the specified command on each file. Command strings should be enclosed in quotation marks. The default command is "cmd /c ech a@file".

/d [{+|-}][<Date>|<Days>]

Selects files with a last modified date within the specified time frame.

- * Selects files with a last modified date later than or equal to (+) or earlier than or equal to (-) the specified date, where Date is in the format MM/DD/YYYY.
- * Selects files with a last modified date later than or equal to (+) the current date plus the number of days specified,

@RELPATH

Relative path of the file.

@ISDIR

Evaluates to TRUE if a file. type is a directory. Otherwise, this variable evaluates to FALSE

[www.tomsguide.fr](#) › [Solutions](#) › [Programmation?](#)

want FORFILES -pD:/TEST -s -M*.

Command Forfiles - Scribd

[www.scribd.com/doc/138920113/Command-Forfiles?Traduire cette page](http://www.scribd.com/doc/138920113/Command-Forfiles?Traduire+cette+page)

5 janv. 2013 - Command Forfiles - Free download as PDF File (.pdf), Text File (.txt) or readfalse online for free.

forfiles - ICT Support Specialist

[www.ictsupportspecialist.com/.../206-forfiles?...?Traduire cette page](http://www.ictsupportspecialist.com/.../206-forfiles?...?Traduire+cette+page)